

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S116	15	712/225.ccls. and ((process\$4 or compil\$6 or execut\$4) with parallel) and (\$4graph) and ((memor\$3 or data or status or file or \$3ternal) near4 register)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 06:38
S115	16	712/225.ccls. and ((process\$4 or compil\$6 or execut\$4) with parallel) and (\$4graph)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 06:37
S110	6	717/156.ccls. and (compil\$6 same parallel) and ((\$4graph) with (partition\$4 or break\$4 or divid\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 06:35
S114	44	709/250.ccls. and ((message or status) with (transmit\$4 or transfer\$4 or send\$4 or receiv\$4)) and @ay< "2000" and ((parallel same compil\$6) or (distribut\$5 near2 process\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 06:34
S113	124	709/250.ccls. and ((message or status or data) with (transmit\$4 or transfer\$4 or send\$4 or receiv\$4)) and ((parallel same compil\$6) or (distribut\$5 near2 process\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 06:34
S112	199	709/250.ccls. and ((message or status or data) with (transmit\$4 or transfer\$4 or send\$4 or receiv\$4)) and ((parallel same compil\$6) or (distribut\$5 near6 process\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 06:33
S111	4	709/250.ccls. and ((message or status or data) with (transmit\$4 or transfer\$4 or send\$4 or receiv\$4)) and (parallel same compil\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 06:32
S109	39	717/156.ccls. and (compil\$6 same parallel) and (\$4graph)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 17:55
S108	11	717/156.ccls. and (\$3configur\$6 same parallel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 17:55
S104	130	712/25.ccls. ((flow with data with control) with (\$4graph or path) with (partition\$4 or break\$4 or divid\$4)) and (parallel near4 compil\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 17:54
S107	3	712/25.ccls. and ((flow near6 (data or control)) near8 (\$4graph or path or block or task) same (partition\$4 or break\$4 or divid\$4)) and ((multiple or plurality or array) near8 (field or \$6process\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 17:53

EAST Search History

S10 6	3	712/25.ccls. and ((flow near6 (data or control)) near8 (\$4graph or path or block) same (partition\$4 or break\$4 or divid\$4)) and ((multiple or plurality or array) near8 (field or \$6process\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 17:53
S10 5	1	712/25.ccls. and ((flow near6 (data or control)) near4 (\$4graph with (partition\$4 or break\$4 or divid\$4)) and (parallel near4 compil\$6) and ((multiple or plurality or array) near4 (field or process\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 17:50
S10 3	13	((partition\$4 or break\$4 or separat\$4 or divid\$4) with (\$4graph)) and ((multiple or plurality or lot) near6 (\$4graph or path or block)) and (compil\$6 near6 parallel) and @ay<"2000" and @ay>"1996" and ((multiple or plurality or array) near6 (process\$4 or field)) and ((data or info\$6 or register) same (sav\$4 or stor\$4 or transfer\$4 or transmit\$4) same (\$4graph or block or task or path))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 09:25
S10 2	9	((partition\$4 or break\$4 or separat\$4 or divid\$4) with (\$4graph)) and ((multiple or plurality or lot) near6 (\$4graph or path or block)) and (compil\$6 near6 parallel) and @ay<"2000" and @ay>"1996" and ((multiple or plurality or array) near6 (process\$4 or field)) and ((reduc\$4 or minim\$6) with (\$4graph or path or block))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 09:23
S10 1	14	((partition\$4 or break\$4 or separat\$4 or divid\$4) with (\$4graph)) and ((multiple or plurality or lot) near6 (\$4graph or path or block)) and (compil\$6 near6 parallel) and @ay<"2000" and ((multiple or plurality or array) near6 (process\$4 or field)) and ((reduc\$4 or minim\$6) with (\$4graph or path or block))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 08:53
S10 0	19	((partition\$4 or break\$4 or separat\$4 or divid\$4) with (\$4graph)) and ((multiple or plurality or lot) near6 (\$4graph or path)) and (compil\$6 near6 parallel) and @ay<"2000" and ((multiple or plurality or array) near6 (process\$4 or field)) and ((reduc\$4 or minim\$6) same (\$4graph or path))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 08:51
S99	20	((partition\$4 or break\$4 or separat\$4 or divid\$4) with (\$4graph)) and ((multiple or plurality or lot) near6 (\$4graph or path)) and (compil\$6 near6 parallel) and @ay<"2000" and ((multiple or plurality or array) near6 (process\$4 or field)) and ((reduc\$4 or decreas\$4 or minim\$6) same (\$4graph or path))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 08:51
S98	20	((partition\$4 or break\$4 or separat\$4 or divid\$4) with (\$4graph)) and ((multiple or plurality or lot) near6 (\$4graph or path)) and (compil\$6 near6 parallel) and @ay<"2000" and ((multiple or plurality or array) near6 (process\$4 or field))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 08:50
S97	83	((partition\$4 or break\$4 or separat\$4 or divid\$4) with (path or \$4graph)) and ((multiple or plurality or lot) near6 (\$4graph or path)) and (compil\$6 near6 parallel) and @ay<"2000" and ((multiple or plurality or array) near6 (process\$4 or field))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 08:50
S96	85	((partition\$4 or break\$4 or separat\$4 or divid\$4) with (path or \$4graph)) and ((multiple or plurality or lot) near6 (\$4graph or path)) and (compil\$6 near6 parallel) and @ay<"2000"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 08:49
S95	9	((data or control) near8 flow near8 \$4graph) and @ay<"2000" and ((dependen\$4 or connect\$4) with (minim\$5 or reduc\$4 or fewer or decreas\$4)) and (parallel near8 compil\$6) and (\$4graph with (partition\$4 or break\$4 or divid\$4 or separat\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 13:36

EAST Search History

S94	7	((control) near8 flow near8 \$4graph) and (data near8 flow near8 \$4graph) and @ay<"2000" and @ay>"1996" and ((dependen\$4 or connect\$4) with (minim\$5 or reduc\$4 or fewer or decreas\$4)) and (parallel near8 compil\$6) and (\$4graph with (partition\$4 or break\$4 or divid\$4 or separat\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 13:34
S93	10	((control) near8 flow near8 \$4graph) and (data near8 flow near8 \$4graph) and @ay<"2000" and @ay>"1996" and ((dependen\$4 or connect\$4) with (minim\$5 or reduc\$4 or fewer or decreas\$4)) and (parallel near8 compil\$6) and ((multiple or plurality or array) near8 (process\$4 or field))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 13:29
S92	12	((control) near8 flow near8 \$4graph) and (data near8 flow near8 \$4graph) and @ay<"2000" and @ay>"1996" and ((dependen\$4 or connect\$4) with (minim\$5 or reduc\$4 or fewer or decreas\$4)) and (parallel near8 compil\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 13:26
S91	15	((control) near8 flow near8 \$4graph) and (data near8 flow near8 \$4graph) and @ay<"2000" and ((dependen\$4 or connect\$4) with (minim\$5 or reduc\$4 or fewer or decreas\$4)) and (parallel near8 compil\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 13:25
S90	39	((control) near8 flow near8 \$4graph) and (data near8 flow near8 \$4graph) and @ay<"2000" and ((dependen\$4 or connect\$4) with (minim\$5 or reduc\$4 or fewer or decreas\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 13:24
S89	216	((control or data) near6 flow near6 \$4graph) and @ay<"2000" and ((dependen\$4 or connect\$4) with (minim\$5 or reduc\$4 or fewer or decreas\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 13:24
S84	5	(compil\$6 near6 parallel) and ((data adj6 flow) with (\$4graph or path)) and ((control adj6 flow) with (\$4graph or path)) and @ay<"2000" and @ay>"1996" and ((\$4graph or path) with (divid\$4 or partition\$4 or break\$4 or separat\$4)) and ((multiple or plurality or array) near6 (process\$4 or field))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 13:11
S83	7	(compil\$6 near6 parallel) and ((data adj6 flow) with (\$4graph or path)) and ((control adj6 flow) with (\$4graph or path)) and @ay<"2000" and ((\$4graph or path) with (divid\$4 or partition\$4 or break\$4 or separat\$4)) and ((multiple or plurality or array) near6 (process\$4 or field))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 13:05
S82	62	(compil\$6 near6 parallel) and (data adj3 flow) and (control adj3 flow) and @ay<"2000" and ((\$4graph or path) with (divid\$4 or partition\$4 or break\$4 or separat\$4)) and ((multiple or plurality or array) near6 (process\$4 or field))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 13:04
S81	66	(compil\$6 near6 parallel) and (data adj3 flow) and (control adj3 flow) and @ay<"2000" and ((\$4graph or path) with (divid\$4 or partition\$4 or break\$4 or separat\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 13:03
S80	150	(compil\$6 near6 parallel) and (data adj3 flow) and (control adj3 flow) and @ay<"2000"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 13:01

EAST Search History

S1	588	(parallel near3 compil\$6) and @ay<"2000"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 12:18
S79	9	((transmit\$4 or transfer\$4 or send\$4) with (data near6 (message or signal or status))) and (status with (ready or valid)) and (parallel near6 compil\$6) and @ay<"2000" and @ay>"1994" and (((transmit\$4 or transfer\$4 or send\$4 or receive\$4 or acknowledg\$4) with (node or cell or element or process\$4))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 09:58
S78	9	((transmit\$4 or transfer\$4 or send\$4) with data with (message or signal or status)) and (status with (ready or valid)) and (parallel near6 compil\$6) and @ay<"2000" and @ay>"1994" and (((transmit\$4 or transfer\$4 or send\$4 or receive\$4 or acknowledg\$4) with (node or cell or element or process\$4))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 09:58
S77	1	((transmit\$4 or transfer\$4 or send\$4) with (message or signal or status)) and (status with (ready or valid)) and (parallel near6 compil\$6) and @ay<"2000" and @ay>"1994" and (((transmit\$4 or transfer\$4 or send\$4 or receive\$4 or acknowledg\$4) with (node or cell or element or process\$4)))) and ((expect\$4 or wait\$4) with (message or signal or status or ready or valid))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 09:57
S74	9	((transmit\$4 or transfer\$4 or send\$4) with (signal or status)) and (status with (ready or valid)) and (parallel near6 compil\$6) and @ay<"2000" and @ay>"1994" and (((transmit\$4 or transfer\$4 or send\$4 or receive\$4 or acknowledg\$4) with (node or cell or element or process\$4))) same (first or second or next or primary or secondary or custom\$4 or flexible or regular or main)) and ((expect\$4 or wait\$4 or need\$3) with (signal or status or ready or valid))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 09:51
S76	12	((transmit\$4 or transfer\$4 or send\$4) with (signal or status)) and (status with (ready or valid)) and (parallel near6 compil\$6) and (((transmit\$4 or transfer\$4 or send\$4 or receive\$4 or acknowledg\$4) with (node or cell or element or process\$4))) same (first or second or next or primary or secondary or custom\$4 or flexible or regular or main)) and ((expect\$4 or wait\$4 or need\$3) with (signal or status or ready or valid)) and "5689720" and pan	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 09:45
S75	7	((transmit\$4 or transfer\$4 or send\$4) with (signal or status)) and (status with (ready or valid)) and (parallel near6 compil\$6) and @ay<"2000" and @ay>"1994" and (((transmit\$4 or transfer\$4 or send\$4 or receive\$4 or acknowledg\$4) with (node or cell or element or process\$4))) same (first or second or next or primary or secondary or custom\$4 or flexible or regular or main)) and ((expect\$4 or wait\$4 or need\$3) with (signal or status or ready or valid)) and "5689720"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 09:45
S73	10	((transmit\$4 or transfer\$4 or send\$4) with (signal or status)) and (status with (ready or valid)) and (parallel near6 compil\$6) and @ay<"2000" and @ay>"1994" and (((transmit\$4 or transfer\$4 or send\$4 or receive\$4 or acknowledg\$4) with (node or cell or element or process\$4))) same (first or second or next or primary or secondary or custom\$4 or flexible or regular or main))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 09:37
S72	8	((transmit\$4 or transfer\$4 or send\$4) with (signal or status)) and (status with (ready or valid)) and (parallel near6 compil\$6) and @ay<"2000" and @ay>"1996" and (((transmit\$4 or transfer\$4 or send\$4 or receive\$4 or acknowledg\$4) with (node or cell or element or process\$4))) same (first or second or next or primary or secondary or custom\$4 or flexible or regular or main))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 09:33
S71	19	((transmit\$4 or transfer\$4 or send\$4) with (signal or status)) and (status with (ready or valid)) and (parallel near6 compil\$6) and @ay<"2000" and (((transmit\$4 or transfer\$4 or send\$4 or receive\$4 or acknowledg\$4) with (node or cell or element or process\$4))) same (first or second or next or primary or secondary or custom\$4 or flexible or regular or main))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 09:31

EAST Search History

S70	22	((transmit\$4 or transfer\$4 or send\$4) with (signal or status)) and (status with (ready or valid)) and (parallel near6 compil\$6) and @ay<"2000" and ((transmit\$4 or transfer\$4 or send\$4 or receiv\$4 or acknowledg\$4) with (node or cell or element or process\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 09:29
S69	24	((transmit\$4 or transfer\$4 or send\$4) with (signal or status)) and (status with (ready or valid)) and (parallel near6 compil\$6) and @ay<"2000"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 09:27
S68	21	((multiple or array or plurality) near8 (processor or processing or field)) and (execut\$4 same first same (graph or part or task or block or subgraph or sub-graph or segment)) and ((configur\$6 or reconfigur\$6 or re-configur\$6 or retarget\$4 or re-target\$4) same (first or second or next)) and (execut\$4 same (second or next) same (graph or part of task or block or subgraph or sub-graph or segment)) and @ay<"2000" and (parallel near6 compil\$6) and ((sav\$4 or stor\$4) with configur\$6) and (configur\$6 with (based or by or from or "with" or status or signal or set\$4 or default or load\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 08:35
S67	26	((multiple or array or plurality) with (processor or processing or field)) and (execut\$4 same first same (graph or part or task or block or subgraph or sub-graph or segment)) and ((configur\$6 or reconfigur\$6 or re-configur\$6 or retarget\$4 or re-target\$4) same (first or second or next)) and (execut\$4 same (second or next) same (graph or part of task or block or subgraph or sub-graph or segment)) and @ay<"2000" and (parallel near6 compil\$6) and ((sav\$4 or stor\$4) with configur\$6) and (configur\$6 with (based or by or from or "with" or status or signal or set\$4 or default or load\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 07:21
S66	27	(execut\$4 same first same (graph or part or task or block or subgraph or sub-graph or segment)) and ((configur\$6 or reconfigur\$6 or re-configur\$6 or retarget\$4 or re-target\$4) same (first or second or next)) and (execut\$4 same (second or next) same (graph or part of task or block or subgraph or sub-graph or segment)) and @ay<"2000" and (parallel near6 compil\$6) and ((sav\$4 or stor\$4) with configur\$6) and (configur\$6 with (based or by or from or "with" or status or signal or set\$4 or default or load\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 07:19
S65	11	(execut\$4 same first same (graph or part or task or block or subgraph or sub-graph or segment)) and ((configur\$6 or reconfigur\$6 or re-configur\$6 or retarget\$4 or re-target\$4) same (first or second or next)) and (execut\$4 same (second or next) same (graph or part of task or block or subgraph or sub-graph or segment)) and @ay<"2000" and (parallel near6 compil\$6) and ((sav\$4 or stor\$4) with configur\$6) and (configur\$6 with (based or by or from or "with"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 07:12
S64	29	(execut\$4 same first same (graph or part or task or block or subgraph or sub-graph or segment)) and ((configur\$6 or reconfigur\$6 or re-configur\$6 or retarget\$4 or re-target\$4) same (first or second or next)) and (execut\$4 same (second or next) same (graph or part of task or block or subgraph or sub-graph or segment)) and @ay<"2000" and (parallel near6 compil\$6) and ((sav\$4 or stor\$4) with configur\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 07:08
S63	50	(execut\$4 same first same (graph or part or task or block or subgraph or sub-graph or segment)) and ((configur\$6 or reconfigur\$6 or re-configur\$6 or retarget\$4 or re-target\$4) same (first or second or next)) and (execut\$4 same (second or next) same (graph or part of task or block or subgraph or sub-graph or segment)) and @ay<"2000" and (parallel near6 compil\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 07:07
S62	41	(execut\$4 same first same (graph or part or task or block or subgraph or sub-graph or segment)) and ((configur\$6 or reconfigur\$6 or re-configur\$6 or retarget\$4 or re-target\$4) same first) and (execut\$4 same (second or next) same (graph or part of task or block or subgraph or sub-graph or segment)) and @ay<"2000" and (parallel near6 compil\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 07:06

EAST Search History

S61	39	(execut\$4 same first same (graph or part or task or block or subgraph or sub-graph or segment)) and ((configur\$6 or reconfigur\$6 or re-configur\$6 or retarget\$4 or re-target\$4) same first) and (execut\$4 same (second or next) same (graph or part of task or block or subgraph or sub-graph)) and @ay<"2000" and (parallel near6 compil\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 06:56
S60	6	(execut\$4 same first same (graph or part or task or block)) and ((reconfigur\$6 or re-configur\$6 or retarget\$4 or re-target\$4) same first) and (execut\$4 same (second or next) same (graph or part of task or block)) and @ay<"2000" and (parallel near6 compil\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 06:55
S59	315	(execut\$4 same first same (graph or part or task or block)) and ((reconfigur\$6 or re-configur\$6 or retarget\$4 or re-target\$4) same first) and (execut\$4 same (second or next) same (graph or part of task or block)) and @ay<"2000"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 16:36
S58	4	(parallel near3 compil\$6) and @ay<"2000" and @ay>"1996" and ((graph or subgraph or sub-graph or block or task or part) same (parallel or concurrent or execut\$4)) and ((configur\$6 or reconfigur\$6 or re-configur\$6 or retarget\$6 or re-target\$6) same (execut\$4 or dynamica\$4)) and (first same (second or next)) and ((select\$4 or identif\$4 or choos\$4 or set\$4) same configur\$6 same based)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 16:34
S57	3	(parallel near3 compil\$6) and @ay<"2000" and @ay>"1996" and ((graph or subgraph or sub-graph or block or task or part) same (parallel or concurrent or execut\$4)) and ((configur\$6 or reconfigur\$6 or re-configur\$6 or retarget\$6 or re-target\$6) same (execut\$4 or dynamica\$4)) and (first same (second or next)) and ((select\$4 or identif\$4 or choos\$4 or set\$4) same configur\$6 same based) and (execut\$6 same first)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 16:04
S56	17	(parallel near3 compil\$6) and @ay<"2000" and ((graph or subgraph or sub-graph or block or task or part) same (parallel or concurrent or execut\$4)) and ((configur\$6 or reconfigur\$6 or re-configur\$6 or retarget\$6 or re-target\$6) same (execut\$4 or dynamica\$4)) and (first same (second or next)) and ((select\$4 or identif\$4 or choos\$4 or set\$4) same configur\$6 same based) and (execut\$6 same first)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 16:03
S55	32	(parallel near3 compil\$6) and @ay<"2000" and ((graph or subgraph or sub-graph or block or task or part) same (parallel or concurrent or execut\$4)) and ((configur\$6 or reconfigur\$6 or re-configur\$6 or retarget\$6 or re-target\$6) same (execut\$4 or dynamica\$4)) and (first same (second or next)) and ((select\$4 or identif\$4 or choos\$4 or set\$4) same configur\$6 same based)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 16:01
S54	139	(parallel near3 compil\$6) and @ay<"2000" and ((graph or subgraph or sub-graph or block or task or part) same (parallel or concurrent or execut\$4)) and ((configur\$6 or reconfigur\$6 or re-configur\$6 or retarget\$6 or re-target\$6) same (execut\$4 or dynamica\$4)) and (first same (second or next))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 15:59
S53	147	(parallel near3 compil\$6) and @ay<"2000" and ((graph or subgraph or sub-graph or block or task or part) same (parallel or concurrent or execut\$4)) and ((configur\$6 or reconfigur\$6 or re-configur\$6 or retarget\$6 or re-target\$6) same (execut\$4 or dynamica\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 15:55
S52	24	(parallel near3 compil\$6) and @ay<"2000" and ((graph or subgraph or sub-graph or block or task or part) same (parallel or concurrent or execut\$4)) and ((reconfigur\$6 or re-configur\$6 or retarget\$6 or re-target\$6) same (execut\$4 or dynamica\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 15:55

EAST Search History

S51	22	(parallel near3 compil\$6) and @ay<"2000" and ((graph or subgraph or sub-graph or block or task or part) same (parallel or concurrent)) and ((reconfigur\$6 or re-configur\$6 or retarget\$6 or re-target\$6) same (execut\$4 or dynamica\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 15:54
S50	15	(parallel near3 compil\$6) and @ay<"2000" and ((graph or subgraph or sub-graph or block or task or part) same (parallel or concurrent)) and ((reconfigur\$6 or re-configur\$6 or retarget\$6 or re-target\$6) same execut\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 15:54
S49	299	(parallel near3 compil\$6) and @ay<"2000" and ((graph or subgraph or sub-graph or block or task) same (parallel or concurrent))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 15:53
S2	183	(parallel near3 compil\$6) and @ay<"2000" and (graph or subgraph)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 15:51
S48	15	((flow near6 data near6 (graph or path or block)) same (flow near6 control near6 (graph or path or block))) and ((graph or subgraph or sub-graph or path or block) with (partition\$4 or break\$4 or divid\$4 or separat\$4)) and @ay<"2000" and (parallel near3 compil\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/10 14:33
S25	3	((flow near6 data near6 (graph or path or block)) same (flow near6 control near6 (graph or path or block)) same (partition\$4 or break\$4 or divid\$4 or separat\$4)) and @ay<"2000" and (parallel near3 compil\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/10 14:31
S47	2	((flow near6 control) same (flow near6 data) same (graph or subgraph or sub-graph)) and ((graph or subgraph or sub-graph) same (creat\$4 or extract\$4 or build\$4 or pars\$4 or partition\$4 or divid\$4 or break\$4 or separat\$4 or distribut\$4)) and @ay<"2000" and ("6421809" or "6223274")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/10 14:01
S46	1	((flow near6 control) same (flow near6 data) same (graph or subgraph or sub-graph)) and ((graph or subgraph or sub-graph) with (creat\$4 or extract\$4 or build\$4 or pars\$4 or partition\$4 or divid\$4 or break\$4 or separat\$4 or distribut\$4)) and @ay<"2000" and ("6421809" or "6223274")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/10 13:51
S45	158	((flow near6 control) same (flow near6 data) same (graph or subgraph or sub-graph)) and ((graph or subgraph or sub-graph) with (creat\$4 or extract\$4 or build\$4 or pars\$4 or partition\$4 or divid\$4 or break\$4 or separat\$4 or distribut\$4)) and @ay<"2000"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/10 13:50
S44	444	((flow near6 control) same (flow near6 data)) and ((graph or subgraph or sub-graph) with (creat\$4 or extract\$4 or build\$4 or pars\$4 or partition\$4 or divid\$4 or break\$4 or separat\$4 or distribut\$4)) and @ay<"2000"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/10 13:49
S43	989	((flow near6 control) same (flow near6 data)) and ((graph or subgraph or sub-graph) with (creat\$4 or extract\$4 or build\$4 or pars\$4 or partition\$4 or divid\$4 or break\$4 or separat\$4 or distribut\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/10 13:49

EAST Search History

S23	7	((data near3 flow near3 (graph or path or block)) with (partition\$4 or break\$4 or divid\$4 or separat\$4)) and @ay<"2000" and (parallel near3 compil\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/10 13:15
S42	2	(programmable near2 array) and (parallel near4 compil\$6) and @ay<"2000" and (((control or data) adj2 flow) adj3 graph)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/10 12:37
S40	2	(programmable near2 array) and (parallel near4 compil\$6) and @ay<"2000" and ((control adj2 flow) adj3 graph)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/10 12:34
S41	20	(programmable near2 array) and @ay<"2000" and ((control adj2 flow) adj3 graph)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/10 12:32
S38	9	programmable and (parallel near4 compil\$6) and @ay<"2000" and ((control adj2 flow) adj3 graph)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/10 12:30
S39	9	programmable and (parallel near4 compil\$6) and @ay<"2000" and ((control adj2 flow) adj3 (graph or path or block))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/10 12:23
S37	82	programmable and (parallel near4 compil\$6) and @ay<"2000" and (control adj4 flow)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/10 12:11
S36	7	((reconfigur\$6 or re-configur\$6 or retarget\$4 or re-target\$4) and (parallel near4 compil\$6)) and @ay<"2000" and ((graph or subgraph or sub-graph) with (partition\$4 or break\$4 or divid\$4 or separat\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/10 11:31
S35	54	((reconfigur\$6 or re-configur\$6 or retarget\$4 or re-target\$4) and (parallel near4 compil\$6)) and @ay<"2000" and ((graph or subgraph or sub-graph or block or task) with (partition\$4 or break\$4 or divid\$4 or separat\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/10 11:30
S34	23	((reconfigur\$6 or re-configur\$6 or retarget\$4 or re-target\$4) and (parallel near4 compil\$6)) and @ay<"2000" and ((graph or subgraph or sub-graph or block) with (partition\$4 or break\$4 or divid\$4 or separat\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/10 11:30
S30	34	((reconfigur\$6 or re-configur\$6 or retarget\$4 or re-target\$4) and (parallel near4 compil\$6)) and @ay<"2000" and ((graph or subgraph or sub-graph) same (partition\$4 or break\$4 or divid\$4 or separat\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/10 11:29

EAST Search History

S33	22	((reconfigur\$6 or re-configur\$6 or retarget\$4 or re-target\$4) with (processor or target or machine or system)) and (parallel near4 compil\$6)) and @ay<"2000" and ((graph or subgraph or sub-graph) same (partition\$4 or break\$4 or divid\$4 or separat\$4)) and ((signal or transfer\$4 or transmit\$6 or status) with (cell or node or unit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/10 11:26
S32	28	((reconfigur\$6 or re-configur\$6 or retarget\$4 or re-target\$4) with (processor or target or machine or system)) and (parallel near4 compil\$6)) and @ay<"2000" and ((graph or subgraph or sub-graph) same (partition\$4 or break\$4 or divid\$4 or separat\$4)) and (signal or transfer\$4 or transmit\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/10 11:23
S31	29	((reconfigur\$6 or re-configur\$6 or retarget\$4 or re-target\$4) with (processor or target or machine or system)) and (parallel near4 compil\$6)) and @ay<"2000" and ((graph or subgraph or sub-graph) same (partition\$4 or break\$4 or divid\$4 or separat\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/10 11:22
S29	71	((reconfigur\$6 or re-configur\$6 or retarget\$4 or re-target\$4) and (parallel near4 compil\$6)) and @ay<"2000" and ((graph or subgraph or sub-graph or block) same (partition\$4 or break\$4 or divid\$4 or separat\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/10 11:21
S28	7	((reconfigur\$6 or re-configur\$6 or retarget\$4 or re-target\$4) and (parallel near4 compil\$6)) and @ay<"2000" and ((graph or subgraph or sub-graph) with (partition\$4 or break\$4 or divid\$4 or separat\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/10 11:21
S27	114	((reconfigur\$6 or re-configur\$6 or retarget\$4 or re-target\$4) and (parallel near4 compil\$6)) and @ay<"2000"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/10 11:16
S26	4	((reconfigur\$6 or re-configur\$6 or retarget\$4 or re-target\$4) same (parallel near4 compil\$6)) and @ay<"2000"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/10 11:15
S24	128	((flow near6 data near6 (graph or path or block)) same (flow near6 control near6 (graph or path or block)) same (partition\$4 or break\$4 or divid\$4 or separat\$4)) and @ay<"2000"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/10 10:32
S22	4	((control near2 flow) near3 (path or graph or block)) with (divid\$4 or partition\$4 or break\$4 or separat\$4)) and (parallel near3 compil\$6) and @ay<"2000"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/10 08:52
S21	6	((control near2 flow) near3 (path or graph or block)) same (divid\$4 or partition\$4 or break\$4 or separat\$4)) and (parallel near3 compil\$6) and @ay<"2000"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/10 08:38
S19	3	((control near2 flow) near3 (path or graph)) same (divid\$4 or partition\$4 or break\$4) and (parallel near3 compil\$6) and @ay<"2000" and programmable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/10 08:38

EAST Search History

S20	6	((control near2 flow) near3 (path or graph)) same (divid\$4 or partition\$4 or break\$4 or separat\$4)) and (parallel near3 compil\$6) and @ay<"2000"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/10 08:30
S18	14	((subgraph or graph) same (((read same write) or (load same store)) or (control or branch))) and (parallel near6 compil\$6) and (vliw or epic or (programmable near3 gate)) and @ay>"1997" and @ay<"2000"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 13:20
S15	18	((subgraph or graph) same (((read same write) or (load same store)) or (control or branch))) and (parallel near6 compil\$6) and (vliw or epic or (programmable near3 gate)) and @ay>"1997" and @ay<"2001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 13:20
S17	6	((subgraph or graph) same ((read same write) or (load same store))) and ((subgraph or graph) same (control or branch)) and (parallel near6 compil\$6) and (vliw or epic or (programmable near3 gate)) and @ay>"1997" and @ay<"2001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 13:13
S16	0	((subgraph or graph) same (read same write)) and ((subgraph or graph) same load same store) and ((subgraph or graph) same (control or branch)) and (parallel near6 compil\$6) and (vliw or epic or (programmable near3 gate)) and @ay>"1997" and @ay<"2001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 13:12
S4	35	(parallel near3 compil\$6) and @ay<"2000" and ((graph or subgraph) same (divid\$6 or partition\$4)) and (vliw or epic or (gate))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 13:06
S14	1	(parallel near3 compil\$6) and @ay<"2001" and @ay>"1996" and ((graph or subgraph or block or program) with (divid\$6 or partition\$4)) and (vliw or epic or programmable) and "6080204" and vuthe	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 12:09
S13	14	(parallel near3 compil\$6) and @ay<"2001" and @ay>"1996" and ((graph or subgraph or block or program) with (divid\$6 or partition\$4)) and (vliw or epic or (gate)) and (programmable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 12:06
S12	9	(parallel near3 compil\$6) and @ay<"2001" and @ay>"1996" and ((graph or subgraph) same (divid\$6 or partition\$4)) and (vliw or epic or (gate)) and (programmable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:55
S11	7	(parallel near3 compil\$6) and @ay<"2000" and @ay>"1996" and ((graph or subgraph) same (divid\$6 or partition\$4)) and (vliw or epic or (gate)) and (programmable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:21
S10	1	(parallel near3 compil\$6) and @ay<"2000" and @ay>"1997" and ((graph or subgraph) same (divid\$6 or partition\$4)) and (vliw or epic or (gate)) and (programmable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:20

EAST Search History

S9	28	(parallel near3 compil\$6) and @ay<"2000" and ((graph or subgraph) same (divid\$6 or partition\$4)) and (vliw or epic or (gate)) and (programmable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:19
S8	0	(parallel near3 compil\$6) and @ay<"2000" and ((graph or subgraph) same (divid\$6 or partition\$4)) and (vliw or epic or (gate)) and (programmable and (non-programmable or nonprogrammable or (non adj programmable))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:08
S7	28	(parallel near3 compil\$6) and @ay<"2000" and ((graph or subgraph) same (divid\$6 or partition\$4)) and (vliw or epic or (gate)) and programmable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:07
S6	0	(parallel near3 compil\$6) and @ay<"2000" and ((graph or subgraph) same (divid\$6 or partition\$4)) and (vliw or epic or (gate)) and programmable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:07
S5	35	(parallel near3 compil\$6) and @ay<"2000" and ((graph or subgraph) same (divid\$6 or partition\$4)) and (vliw or epic or (gate)) and program\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:07
S3	57	(parallel near3 compil\$6) and @ay<"2000" and ((graph or subgraph) same (divid\$6 or partition\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:05